



Canadian Wheel

AGRICULTURAL
WHEELS & RIMS

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH
REC ALT BLANK RIM STYLES AVAILABLE
FB DB DW DC DH

12" DIAMETER

23X10.50-12	8.5	-					RDC8512													
-------------	-----	---	--	--	--	--	---------	--	--	--	--	--	--	--	--	--	--	--	--	--

14" DIAMETER

6.00-14	5	-																		X			
7.50-14	5	-																			X		
8.5L14	6	-											X								X		
9.5L14	8	-											X								X		
11L14	8	-											X								X		

15" DIAMETER

5.90-15	4.5	-																					X		
5.90-15	-	5																					X		
6.4-15	4.5	-																					X		
6.4-15	-	5																					X		
6.70-15	4.5	-																					X		
6.70-15	-	5																					X		
7.00-15	6	-																				X		X	
7.5L15	6	-																				X		X	
7.5L15	-	5																				X		X	
7.60-15	6	-																				X		X	
25X7.50-15	6	-																				X		X	
25X10.50-15	8	-																				X		X	
25X12.50-15	10	-																				X		X	
27X10.50-15	8	-																				X		X	
9.5L15	8	-																				X		X	
10.00-15	8	-																				X		X	
11L15	8	-																				X		X	
11L15	-	10																				X		X	
29X12.50-15	10	-																				X		X	
12.5L15	10	-																				X		X	
31X12.50-15	10	-																				X		X	
31X13.50-15	10	-																				X		X	
33X12.50-15	10	-																				X		X	
33X13.50-15	10	-																				X		X	
31X15.50-15	13	-																						X	
31X15.50-15	-	12																						X	

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH
REC ALT BLANK RIM STYLES AVAILABLE
FB DB DW DC DH

16" DIAMETER

7.00-16	5.5	-				RDC5516			X			X		
7.00-16	-	6				RDC616			X			X		
7.50-16	5.5	-				RDC5516			X			X		
7.50-16	-	6				RDC616			X			X		
7.60-16	5.5	-				RDC5516			X			X		
7.60-16	-	6				RDC616			X			X		
9.00-16	6	-				RDC616			X			X		
9.00-16	-	5.5				RDC5516			X			X		
9.00-16	-	8				RDC816			X			X		
10.00-16	8	-				RDC816			X			X		
11.00-16	10	-				RW1016			X			X		
11.00-16	-	8				RDC816			X			X		
11L16	8	-				RDC816			X			X		
11L16	-	10				RW1016			X			X		
11.2-16	10	-				RW1016			X			X		
12.5L16	10	-				RW1016			X			X		

16.1" DIAMETER

13.50-16.1	11	-				RDC11161			X			X		
14L16.1	11	-				RDC11161			X			X		
16.5L16.1	14	-	RW14161			RDC14161			X			X		X
18.4-16.1	16	-	RW16161			RDC16161			X			X		X
19L16.1	16	-	RW16161			RDC16161			X			X		X
38X20-16.1	16	-	RW16161			RDC16161			X			X		X
21.5L16.1	18	-				RDC18161						X		X

16.5" DIAMETER

8.75-16.5	6.75	-				RDC825165						X		
8.75-16.5	-	8.25				RDC825165						X		
9.5-16.5	8.25	-				RDC825165						X		
10-16.5	8.25	-				RDC825165						X		
12-16.5	9.75	-				RDC975165						X		

17.5" DIAMETER

14-17.5	10.5	-				RDC105175								
---------	------	---	--	--	--	-----------	--	--	--	--	--	--	--	--

18" DIAMETER

250/80R18	8	-				RDC818								
250/80R18	-	9				RDC918								
260/80R18	9	-				RDC918								

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH
REC ALT FB DB DW DC DH

20" DIAMETER

38X14.00-20	11	-	RW1120																
41X14.00-20	11	-	RW1120																
14.9-20	11	-	RW1120																
42X25.00-20	20.5	-	B20520-B																
48X25.00-20	20.5	-	B20520-B																
48X31.00-20	26	-	B2620-B																

24" DIAMETER

7.50-24	7	-	RW724										X						
8.3-24	7	-	RW724										X						
9.00-24	8	-	RW824										X	X					X
9.00-24	-	7	RW724										X	X					X
9.50-24	8	-	RW824										X	X					X
9.50-24	-	7	RW724										X	X					X
11.2-24	10	-	RW1024										X	X	X				X
11.2-24	-	9	RW924										X	X	X				X
11.25-24	10	-	RW1024										X	X	X				X
11.25-24	-	8	RW824										X	X	X				X
12.4-24	10	-	RW1024										X	X	X				X
320/75R24	10	-	RW1024										X	X	X				X
13.6-24	12	-	RW1224										X	X					X
14.9-24	12	-	RW1224										X	X					X
16.9-24	15	-	RW1524										X						
17.5L24	15	-	RW1524																
480-65R24	15	-	RW1524																
18.4-24	16	-	RW1624										X						
18.4-24	-	15	RW1524										X						
540/65R24	16	-	RW1624																

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH
REC ALT BLANK RIM STYLES AVAILABLE
FB DB DW DC DH

28" DIAMETER

Tire Size	WIDTH REC	ALT	FB	DB	DW	DC	DH	MISC. / CUSTOM	COMBINES	SMALL DIAMETER	POWER ADJUST	RIMS WITH CLAMPS	DOUBLE BEVEL	OPEN CENTRE DUAL	DIRECT AXLE DUALS
11.2-28	10	-	RW1028								X	X			
11.2-28	-	9	RW928								X	X			
13.6-28	12	-	RW1228							X	X	X			
13.6-28	-	11	RW1128							X	X	X			
14.9-28	13	-	RW1328							X	X	X			
14.9-28	-	12	RW1228							X	X	X			
17.9-28	12	-	RW1228							X	X	X			
16.9-28	15	-	RW1528	RDB1528						X	X	X			
18.4-28	16	-								X	X	X			
18.4-28	-	15	RW1528	RDB1528						X	X	X			
480/65R28	15	-	RW1528	RDB1528											
480/70R28	15	-	RW1528	RDB1528						X	X	X			
480/70R28	-	16								X	X	X			

30" DIAMETER

Tire Size	WIDTH REC	ALT	FB	DB	DW	DC	DH	MISC. / CUSTOM	COMBINES	SMALL DIAMETER	POWER ADJUST	RIMS WITH CLAMPS	DOUBLE BEVEL	OPEN CENTRE DUAL	DIRECT AXLE DUALS
14.9-30	13	-	RW1330							X	X				
14.9-30	-	12			RDW1230					X	X				
16.9-30	15	-	RW1530							X	X	X			
16.9-30	-	14								X	X	X			
18.4-30	16	-			RDW1630					X	X	X			
18.4-30	-	15	RW1530							X	X	X			
480/70R30	15	-	RW1530							X	X	X			
480/70R30	-	16			RDW1630					X	X	X			

32" DIAMETER

Tire Size	WIDTH REC	ALT	FB	DB	DW	DC	DH	MISC. / CUSTOM	COMBINES	SMALL DIAMETER	POWER ADJUST	RIMS WITH CLAMPS	DOUBLE BEVEL	OPEN CENTRE DUAL	DIRECT AXLE DUALS
24.5-32	21	-			RDW2132		62132DH	X	X						X
650/75R32	21	-			RDW2132		62132DH	X	X						X
30.5L-32	27	-			RDW2732		62732DH	X	X						X
800/65R32	27	-			RDW2732		62732DH	X	X						X

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH REC ALT BLANK RIM STYLES AVAILABLE
FB DB DW DC DH

34" DIAMETER

11.2-34	10	-	RW1034							X								
290/95R34	10	-	RW1034							X								
320/85R34	10	-	RW1034							X								X
14.9-34	13	-	RW1334							X								
14.9-34	-	12				RDW1234				X								
385/85R34	13	-	RW1334															
385/85R34	-	12				RDW1234												
385/85R34MPT	13	-	RW1334							X								
385/85R34MPT	-	12				RDW1234				X								
16.9-34	15	-	RW1534							X	X	X		X				X
16.9-34	-	16	RW1634	RDB1634	RDW1634					X	X	X		X				X
18.4-34	16	-	RW1634	RDB1634	RDW1634					X	X	X		X				X
18.4-34	-	15	RW1534							X	X	X		X				X
480/70R34	15	-	RW1534							X	X	X		X				X
480/70R34	-	16	RW1634	RDB1634	RDW1634					X	X	X		X				X
20.8-34	18	-	RW1834	RDB1834						X	X	X						

38" DIAMETER

12.4-38	11	-	RW1138		RDW1138					X	X			X				X
12.4-38	-	10	RW1038		RDW1038					X	X			X				X
12.4-38	-	12	RW1238	RDB1238						X	X			X				X
13.6-38	12	-	RW1238	RDB1238						X	X	X		X				X
13.6-38	-	11	RW1138		RDW1138					X	X	X		X				X
14.9-38	12	-	RW1238	RDB1238						X	X	X		X				X
15.5-38	14	-	RW1438	RDB1438	RDW1438					X	X	X		X				
16.9-38	14	-	RW1438	RDB1438	RDW1438					X	X	X		X		X	X	
16.9-38	-	16	RW1638	RDB1638						X	X	X		X		X	X	
18.4-38	16	-	RW1638	RDB1638						X	X	X		X		X	X	
20.8-38	18	-	RW1838	RDB1838						X	X	X		X		X	X	
580/70R38	18	-	RW1838	RDB1838						X	X	X		X		X	X	
700/65-38	23	-			RDW2338					X	X							
710/70R38	23	-			RDW2338					X	X							

42" DIAMETER

18.4-42	16	-	RW1642	RDB1642						X	X	X					X	X
20.8-42	18	-	RW1842	RDB1842						X	X	X					X	X
620/70R42	20	-			RDW2042					X	X							
710/70R42	23	-			RDW2342					X	X							

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

MISC. / CUSTOM
COMBINES
SMALL DIAMETER
POWER ADJUST
RIMS WITH CLAMPS
DOUBLE BEVEL
OPEN CENTRE DUAL
DIRECT AXLE DUALS

Tire Size WIDTH
REC ALT BLANK RIM STYLES AVAILABLE
FB DB DW DC DH

46" DIAMETER

12.4-46	10	-	RW1046		RDW1046				X	X							X
300/95R46	10	-	RW1046		RDW1046				X	X							X
320/90R46	10	-	RW1046		RDW1046				X	X							X
340/85R46	12	-	RW1246						X	X							X
13.6-46	12	-	RW1246						X	X							X
14.9-46	12	-	RW1246						X	X							X
14.9-46	-	13	RW1346		RDW1346				X	X							X
380/70R46	12	-	RW1246						X	X							X
380/70R46	-	13	RW1346		RDW1346				X	X							X
380/90R46	12	-	RW1246						X	X							X
380/90R46	-	13	RW1346		RDW1346				X	X							X
420/80R46	13	-	RW1346		RDW1346				X	X							X
420/80R46	-	12	RW1246						X	X							X

50" DIAMETER

320/90R50	10	-			RDW1050				X	X							X
380/90R50	12	-			RDW1250				X	X							X

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

FULL-CONTACT DISC DUAL WHEELS

10 STUD

FIT 1000E & 91E SERIES HUBS

RIM SIZE	OUTSET	MFG. PART#	OFFSET
32X21	12.50"	1364	MAXIMUM
32X27	15.50"	1365	MAXIMUM
38X16	6.75"	11694	JOHN DEERE
38X16	8.00"	11711	CASE
38X16	10.437"	11580	MAXIMUM
38X18	6.75"	11695	JOHN DEERE
38X18	8.00"	11710	CASE
38X18	11.437"	11581	MAXIMUM
42X16	6.75"	11691	JOHN DEERE
42X16	8.00"	11714	CASE
42X16	10.437"	11137	MAXIMUM
42X18	6.75"	11692	JOHN DEERE
42X18	8.00"	11713	CASE
42X18	8.00"	12879	CASE WITH DEEP DROP
42X18	10.937"	11136	MAXIMUM
42X20	8.00"	13143	CASE
42X20	12.25"	13144	MAXIMUM
46X12	7.875"	13128	MAXIMUM
46X12	5.75"	10487	-5.75"
46X12	8.125"	12008	MAXIMUM
46X13	6.25"	11704	MAXIMUM
50X10	5.25"	12010	-5.25"
50X10	7.75"	12927	MAXIMUM



CANADIAN WHEEL

AGRICULTURAL PRODUCTS

FULL-CONTACT DISC DUAL WHEEL WITH WEIGHT HOLES

10 STUD

WHEELS HAVE 6 WHEEL WEIGHT HOLES 25.787" BOLT CIRCLE
FIT 1000E & 91E SERIES HUBS

RIM SIZE	OUTSET	MFG. PART#	OFFSET
38X16	6.75"	12272-Y	JOHN DEERE
38X16	10.438"	12273-Y	MAXIMUM
38X18	6.75"	12274-Y	JOHN DEERE
38X18	11.438"	12275-Y	MAXIMUM
38X23	10.00"	12286-Y	JOHN DEERE
38X23	12.25"	12287-Y/SM	MAXIMUM
42X16	6.75"	12277-Y	JOHN DEERE
42X16	10.438"	12278-Y	MAXIMUM
42X18	6.75"	12279-Y	JOHN DEERE
42X18	10.938"	12280-Y	MAXIMUM
42X20	12.25"	13145-Y	JOHN DEERE
46X12	5.75"	12281-Y/SM/W	-5.75"
46X12	10.50"	12339-Y/SM/W	MAXIMUM
46X13	6.25"	12282-Y/SM/W	-6.25"
46X13	11.00"	12340-Y/SM/W	MAXIMUM

FOUR SPOKE FORMED-PLATE DUAL WHEELS

10 STUD

3/8" THICK, NON WRAP DISC
FIT 1000E & 91E SERIES HUBS

RIM SIZE	OUTSET	MFG. PART#	OFFSET
38X18	11.437"	1373	MAXIMUM
38X18	6.75"	11690	JOHN DEERE
38X18	8.00"	11715	CASE
38X16	10.437"	1372	MAXIMUM
38X16	6.75"	11689	JOHN DEERE
38X16	8.00"	11716	CASE
38X14	9.437"	1371	MAXIMUM
38X12	8.437"	1370	MAXIMUM
34X18	11.437"	1368	MAXIMUM
34X16	10.437"	1367	MAXIMUM

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

FOUR SPOKE DOUBLE STRENGTH PRESSED STEEL DUAL WHEELS

9 STUD

FIT 81E, 71E, & 51E SERIES HUBS

RIM SIZE	OUTSET	MFG. PART#
38X18	5.969"	WPSO1838
38X16	10.187"	WPS1638
38X16	5.687"	WPSO1638
38X14	9.00"	WPS1438
38X12	8.00"	WPS1238
38X10	7.00"	WPS1038
34X18	10.75"	WPS1834
34X16	10.50"	WPS1634
34X15	10.00"	WPS1534

Additional Information

A hub is required to mount these wheels.

To determine which hub is required the Make and Model of the Tractor is needed.

The type of hub determines the wheels available.

These wheels and hubs are special order products.



CANADIAN WHEEL

AGRICULTURAL PRODUCTS

EXTENSIONS

Case / New Holland Applications

LENGTH	# OF HOLES	OUR PART#
5"	10	14930
8"	10	14507
10"	10	14508
13"	10	14509
15"	10	14510

John Deere Applications

LENGTH	# OF HOLES	OUR PART#
8"	10	14716
10"	10	15966
13"	10	15967
15"	10	15968



Additional Information

Note: All extensions come with hardware kits.
All Case / New Holland extensions are painted black.
All John Deere extensions are painted yellow.

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

OPEN CENTRE DUAL WHEEL SYSTEMS

J HOOK
FOR
POWER
ADJUST

RIM SIZE	BAND WIDTH	# CLAMPS	HOOK LENGTH	J HOOK FOR POWER ADJUST
24X8	10"	3	6 1/4" +	-
24X10	10"	3	6" +	H6
24X12	10"	3	6 1/2" +	-
24X15	10"	3	6 1/16" +	-
28X11	10"	3	5 7/8" +	H6
28X12	10"	3	6" +	H8
28X13	10"	3	8 1/16" +	H10
28X15	10"	3	5 5/8" +	H10
30X13	10"	3	6 3/8" +	-
30X15	10"	3	5 7/8" +	H10
30X16	10"	3	5 11/16" +	-
32X21	12"	6	9 9/16" +	-
32X27	12"	6	9 9/16" +	-
38X16	14"	6	6 3/8" +	- *
38X18	14"	6	14 7/16" +	- **
34X10	10"	4	6 7/16" +	-
34X13	10"	4	6 7/16" +	-
34X15	10"	4	8" +	H10
34X16	10"	4	4 3/16" +	-
34X18	10"	6	6" +	-
34X20	12"	6	8 1/4" +	-
38X12	10"	4	8 1/2" +	H12 ***
38X14	10"	4	9 1/2" +	H12 ****
38X12	8"	4	7 9/16" +	H10
38X14	8"	4	6 9/16" +	H10
38X23	16"	8	19" +	-
42X20	14"	8	14 9/16" +	-
46X10	10"	6	7" +	-
46X12	10"	6	7" +	-
46X13	12"	6	9" +	-
50X10	10"	8	7 1/2" +	-

*24.5X32 or 30.5X32 tire on tractor, 18.4X38 tire on dual

**24.5X32 or 30.5X32 tire on tractor, 20.8X38 tire on dual

***16.9X34 or 18.4X34 tire on tractor, 13.6X38 or 14.9X38 tire on dual

****16.9X34 tire on tractor, 15.5X38 tire on dual

ADDITIONAL INFORMATION

These dual wheels are sold as sets with all hardware needed.

These dual sets must be special ordered. We do stock the hardware if needed.

The tire size for the dual will be the same as the original tire size unless otherwise noted.

QUESTIONS

Does the customer want T-Rail Clamps or Economy Clamps?

What is the measurement from the front of the disc to the edge of the rim?

This number is added to the Hook Length to determine the overall Hook Length needed.

What size of eye nut or eyebolt is required.

The Make and Model of the tractor can help determine the eye nut/eyebolts needed.

CLAMPS

OUR PART#	STYLE
TE9NW	Economy
TS9	T-Rail

J HOOKS

OUR PART #	HOOK LENGTH	THREAD LENGTH
H12	12"	9"
H16	16"	13"
H18	18"	8"
H22	22"	13"
H26	26"	8"
H30	30"	8"
H32	32"	13"
H36	36"	8"



EYEBOLTS AND NUTS

OUR PART#	STYLE	THREAD	PITCH
IWC16	Eye nut	16mm	2.0
ITF16	Eye nut	16mm	1.5
IUC58	Eye nut	5/8"	Coarse
IXF18	Eye nut	18mm	1.5
IYC18	Eye nut	18mm	2.0
IAC34	Eye nut	3/4"	Coarse
11638	Eye bolt	22mm	2.5
16773	Eye bolt	22mm	2.5

SPACERS FOR DUALS

OUR PART#	DIAMETER	WIDTH
B1230	30	12
B1430	30	14
B1630	30	16
B1234	34	12
B1434	34	14
B1634	34	16
B1238	38	12
B1438	38	14
B1638	38	16
B1242	42	12
B1442	42	14
B1642	42	16



CANADIAN WHEEL

AGRICULTURAL PRODUCTS

DOUBLE BEVEL/STEP UP RIMS

ORIGINAL RIM SIZE	STEP UP SIZE	# OF LUGS	OUR PART#
34"	34X16	12	RDB1634
34"	34X18	12	RDB1834
34"	34X20	12	RDB2034
34"	38X16	12	RDB1638
34"	38X18	12	RDB1838
38"	38X12	8-12-16	RDB1238
38"	38X14	8-12-16	RDB1438
38"	38X16	8-12-16	RDB1638
38"	38X18	8-12-16	RDB1838
38"	42X14	8-12-16	RDB1442
38"	42X16	8-12-16	RDB1642
38"	42X18	8-12-16	RDB1842
38"	46X16	8-12-16	RDB1646
42"	42X9	8-12-16	RDB942
42"	42X14	8-12-16	RDB1442
42"	42X16	8-12-16	RDB1642
42"	42X18	8-12-16	RDB1842
42"	46X16	8-12-16	RDB1646



Additional Information

Conversion lugs are required to step up a double bevel rim.

There are four different styles of conversion lugs.

The Make of the Tractor is required to determine which style of lug is needed.

CONVERSION LUGS

OUR PART#	TRACTOR MAKE	NOTES
D112	Allis-Chalmers, Case, Case-International, Massey-Ferguson	Convert from 34" to 38" or 38" to 42" tires
D110	John Deere	Convert from 34" to 38" or 38" to 42" tires on JD Domestic Tractors. Not for 55 series, 60 series, or current models with stub-disc wheels
D113		Convert from 38" to 42" or 38" to 46" tires on JD Tractors produced in Mannheim, Germany
D111	International (IH)	Convert from 34" to 38" or 38" to 42" tires
D110	White	Models that utilize grader style clamp
D111		Models with #167985A original lug

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

RIMS WITH CLAMPS

RIM SIZE	# OF CLAMPS	BOLT CIRCLE	OUR PART#	DISC PART #
24X7	4	20.50"	RC724-4	-
24X10	4	19.75"	RC1024-4	-
24X10	6	20.25"	RC1024-6	94129
24X12	6	20.25"	RC1224-6	94129
24X12	8	20.25"	RC1224-8	95872
24X15	6	20.25"	RC1524-6	94129
28X9	6	24.25"	RC928-6	92594
28X10	6	24.25"	RC1028-6	92594
28X12	6	24.25"	RC1228-6	92594
28X12	8	24.25"	RC1228-8	95983
28X15	8	24.25"	RC1528-8	95983
30X15	8	24.25"	RC1530-8	95983



DISC	SIZE	# OF CLAMPS	BOLT CIRCLE DISC TO RIM	BOLT CIRCLE RIM TO TRACTOR
94129	24"	6	6 - 20.25	8-8.00
95872	24"	8	8 - 20.25	10-13.189
92594	28"	6	6 - 24.25	8-8.00
95983	28"	8	8 - 24.25	10-13.189

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

POWER ADJUST WHEELS

TYPE C

RIM SIZE	BOLT CIRCLE	TOTAL ADJ BY INCR.	OUR PART#
28X11	8-8.00	10x2	RR86596
28X11	8-6.00	10x2	RR101012
28X11	8-8.00	10x2	RR101016
28X12	8-6.00	10x2	RR101011
28X12	8-8.00	10x2	RR101017
28X12	8-8.00	10x2	RR101018
28X15	8-8.00	12x2	RR101021
30X14	8-8.00	12x2	RR101004
30X14	8-8.00	12x2	RR101006
30X14	8-8.00	12x2	RR101010



Additional Information

Power adjust wheels can be ordered complete or in pieces.

There are three types of Power Adjust systems:

Type A: Eccentric Pin

Type B: Jack Screw

Type C: Double Ramp Clamp

These systems determine how the disc attaches to the rails.

These are special order products

CANADIAN WHEEL

AGRICULTURAL PRODUCTS

SMALL DIAMETER WHEELS

RIM SIZE	BOLT CIRCLE	LOAD CAP	OUR PART#
14X5	4-5.00	1250	52011
14X5	5-5.50	2000	52012
14X6	5-5.50	2000	52014
14X6	6-6.00	2800	52015
14X8	5-5.50	2000	52016
14X8	6-6.00	2800	52017
15X4.5	4-5.00	1250	52021
15X5	5-5.50	2000	52019
15X6	5-5.50	2000	52022
15X6	6-6.00	3800	52023
15X8	5-5.50	2000	52024
15X8	6-6.00	3800	52025
15X8	8-8.00	5000	52032
15X10	6-6.00	3800	52041
15X10	8-8.00	5000	52033
16X6	6-6.00	3800	52043
16X6	8-8.00	4000	52034
16X8	6-6.00	3800	52028
16X8	8-8.00	5000	52029
16X10	6-6.00	3800	52054
16X10	8-8.00	5000	52037
16.1X11	8-8.00	-	52038
16.1X14	8-8.00	-	52040
16.1X16	8-8.00	-	52039
16.1X18	8-8.00	-	52057



CANADIAN WHEEL

AGRICULTURAL PRODUCTS

FLOTATION WHEELS

RIM SIZE	OUR PART#	STYLE
20X20.5	B20520-B	BLANK
20X20.5	B20520-10UNI	10 HOLE UNIMOUNT
20X20.5	B20520-10BS	10 HOLE BALLSEAT
20X20.5	B20520-D	DAYTON FRONT
20X20.5	B20520-DR	DAYTON REAR
20X26	B2620-B	BLANK
20X26	B2620-10UNI	10 HOLE UNIMOUNT
20X26	B2620-10BS	10 HOLE BALLSEAT
20X26	B2620-D	DAYTON REAR



CANADIAN WHEEL

AGRICULTURAL PRODUCTS

Sprayer Wheels

RIM SIZE	APPLICATION	OUR PART#
38X18	John Deere	15627Y
38X18	Case	17272SM



Row Crop Wheels

RIM SIZE	OUR PART#
54X12	17075SM
54X12	17290SM



Pivot Wheels

RIM SIZE	PART#	MFG. PART#
24X8	24X8 8H	W824-8
24X10	24X10 8H	W1024-8
24X12	24X12 8H	W1224-8
38X10	38X10 8H	W1038-8DS
38X12	38X12 8H	W1238-8DS

